A Division of Illinois Tool W	orks Inc.		
Date:			
Purchase Order No:			
Subject:	Туре:		
Batch No			
	ested at time of manufacture, the abouts of and has been tested for sulfur a		ding to:
including 200 B. ASME Boiler Examination, C. ASME Boiler	and Pressure Vessel Code, 1986, 1 Article 6 including 1992 Addenda,F	Article 6 Paragraph 998, & 2001 Edition ddenda, Article 6 Pa 989 and 1992 Edit	T-640 and Article 24 as applicable. , Section V Nondestructive aragraph T-640 and Article 24 as applicable tion, Section V, Nondestructive
D. ASTM E-165	-92, ASTM E-165-94, ASTM E-165-9	5,ASTM E-165-02,	and ASTM E-165-09 Paragraph 7.1.
E. MIL-STD-271 June 1993).	F(SH), 27 June 1986, Paragraphs 5	.3 and 5.3.1., includ	ling Notice 1 Paragraph 5.6.1 (21,
F. NAVSEA T90	074-AS-GIB-010/271, 30 April 1997, I	Paragraph 5.3.1 & 5	i.6.2, including Notice 1.
G. MIL-STD-2132	D, 11 February 2003, Paragraph 7.1, 7.	1.2., 7.1.3, Appendix (C, Paragraph 40
The following test results were	obtained:		
Sulfur:	wt, % of residue. CL+F:		wt, % of residue
Cleaner residue (see i	note 3)	a/100a	g/100ml

We further certify that this material does not contain mercury as a basic element and no mercury bearing equip-

ment was used in its manufacture.

MAGNAFLUX®

Mathew Plamoottil - Quality Assurance Mgr.

Lynda Carle - Lab Technician.

Mathew Planoothy

Notes: 1. Our batch number appears on the bottom of all aerosol cans and on the label of all bulk containers.

- 2. Most specifications require test results stated in percent but some require parts per million (ppm). To convert "percent" figures to "parts per million" move the decimal four places to the right.
- 3. The above certification gives the results obtained at the time of manufacture. Age and use may alter the properties of any material

Form No. F-1568 R-9/09



Date:	
Purchase Order No	
We hereby certify that the, Batch No, supplied meets the requirements approved by the U.S. Air Force.	Type of AMS 2644E, and is
When tested according to paragraph 4.3.2., Sampling Plan A, the followin	g results were obtained.
4.2.2.1. Penetrant Tests: Flash Point (PMCC), 3.3.3 Viscosity, 3.3.4(cs. Nominal) Fluorescent Brightness, 3.3.8.3.2.(FP-4PE Standard) Water Tolerance (Method A only), 3.3.8.5 Removability, 3.3.8.6	°F °F
4.2.2.1 Emulsifier Tests: Flash Point (PMCC), 3.3.3 Viscosity, 3.3.4(cs. Nominal) Water Content (Method D only), 3.3.9.6	°F cs@100°F %
4.2.2.3. Developer Tests: Developer Fluorescence, 3.3.10.2 Developer Removability, 3.3.10.4 Redispersibility, 3.3.10.5	<u>.</u>
3.3.11.5 Remover Tests: Penetrant Removal, 4.4.11.3.2	<u>.</u>

We further certify that this material meets the requirements of ASTM E 1417, Paragraph 5.1.

MAGNAFLUX®

Mathew Plamoottil - Quality Assurance Mgr.

Lynda Carle - Lab Technician.

Mathew Planooth

Form No. F-1579E R-12/06



Purchase Order:

VENDOR'S REPORT - TEST RESULTS

Please forward in duplicate to:
REPORTS, MATERIALS CONTROL LABORATORY
PRATT & WHITNEY AIRCRAFT
(Plant to which material is shipped)

This is to certify that Paragraph Number(s)

apply to the shipment described below: (insert at least one of the first 4, plus 5 if applicable.)

- 1. (Applicable to all raw material, to parts made from raw material furnished or purchased by vendor, or to assemblies of which some or all components are made from raw material furnished or purchased by vendor.) Material, parts, or components of assemblies have been inspected and accepted to the specifications involved, and results of tests required by Pratt & Whitney Aircraft are as shown herein.
- 2. (Applicable to parts or assembly components made from raw material furnished by Pratt & Whitney Aircraft and not chemically or metallurgically treated by vendor so as to change surface or internal condition significantly.) Parts or assemblies have been machined or formed from material furnished by Pratt & Whitney Aircraft, to make these parts or components of assemblies.
- 3. (Applicable to parts or assembly components made from raw material furnished by Pratt & Whitney Aircraft and chemically or metallugically treated by vendor so as to change surface or internal condition significantly.) Parts of components of assemblies have been made from raw material furnished by Pratt & Whitney Aircraft to make these parts or components of assemblies. Parts, components of assemblies have been inspected and accepted to the specifications involved, and results of tests required by Pratt & Whitney Aircraft are as shown herein.
- 4. (Applicable to repaired or reworked raw material, parts or assemblies.) The raw material, parts or assemblies have been reworked or repaired in accordance with Pratt & Whitney Aircraft Instructions, and are the same material, parts or assemblies returned for such reworking or repair, except for replacement of assembly components, in which case paragraphs 1 and 5 are also applicable.
- (Applicable to all assemblies, and to parts when specifically authorized by purchaser.) Results of all chemical and physical tests not shown below, as well as all other evidence which shows acceptability of raw materials and assembly components, are on file and available for inspection at any reasonable time.

reasonable line.										
PART OR ASS'Y NO. (Size, if no Part No.)	CHG. LTR.	SUF. NO.	SP	ECIFICATIONS, AS ORD	DERED				_
PMC					PW/	A 300				
QUANTITY DATE SHIPPED		•	LOCATION (OF F	WA PLANT SHIPPED TO		PAC	P.O. NO.	_	
HEAT, LOT, CODE OR BATCH NO.		RAW MATERIAL VENDOR		TYPE-COMPOUND OR CASTIN		NG PWA HEAT CODES (if req			1)	
Batch No.								<u> </u>		
If material, parts or assemb	olies do not entirely confo	orm to specificati	on requirements	s, the	deviation, and authority for f	urnishing	such m	aterial, are indic	ated below:	
DECLUTO OF TEXTS	Ulan managara at da 16 a a									=
RESULTS OF TESTS (Use reverse side if ne	ecessary)								
	Cultum Com	1001								
	Sulfur Con				-					
	Chloride C				-					
	Fluoride C				-					
	Sodium Co	ontent			-					
	Fluorescer	nt Brightne	ss (100%±	:10	%) _					
Viscosity @ 100°F				,						
	Flash Poin		IN)		-					
	Water Con	,	,		-					
	Clarity	itorit			-					
	· ·	_			-					
	Appearance				-					
	Specific G	•			-					
	AMS 2641				-					
	Purity				_					
	-									

3624 WEST LAKE AVENUE ■ GLENVIEW, ILLINOIS 60025 ■ TEL (847) 657-5300 ■ FAX (847) 657-5388

BY (Authorized Agent)

does NOT contain Polychlorinated Biphenyls (PCB's)

Mathew Plamoottil, Quality Assurance Manager

Methow Planwolky

Lynda Carle - Lab Technician

PWA FORM 3297 REV 11-72

VENDOR NAME

MAGNAFLUX certifies that

VENDOR ADDRESS Dewitt, IA 52742

MAGNAFLUX, 218 Industrial St.