

Safety Data Sheet

MV-740 AEROSOL

SECTION 1: IDENTIFICATION

1.1. PRODUCT IDENTIFIER

Trade name: MV-740 Aerosol

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Relevant identified uses of

Non-destructive testing

the substance or mixture:

Uses advised against: None known.

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Company and address: Magnaflux

155 Harlem Ave. 60025 Glenview, IL

USA

847-657-5300

www.magnaflux.com/Magnaflux

Distributor:

E-mail: support@magnaflux.com

SDS date: 1/6/2023 SDS Version: 1.0

1.4. EMERGENCY TELEPHONE NUMBER

Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL®

(triage.webpoisoncontrol.org) to get specific guidance for your case

See also section 4 "First aid measures".

Emergency number: CHEMTREC 800-424-9300

SECTION 2: HAZARD(S) IDENTIFICATION

OSHA/HCS STATUS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Press. Gas (Comp.); H280, Contains gas under pressure; may explode if heated.

2.2. LABEL ELEMENTS

Hazard pictogram(s):



Signal word: Warning

Hazard statement(s): Contains gas under pressure; may explode if heated. (H280)

Safety statement(s):

MV-740 Aerosol Page 1 of 12



General: -

Prevention: -

Response: -

Storage: Protect from sunlight. Store in a well-ventilated place. (P410+P403)

Disposal: -

Additional labelling:

Not applicable.

2.3. OTHER HAZARDS

Additional warnings: In the event of leaks, high concentrations of gases can quickly form.

They can be toxic, asphyxiating, or explosive.

This mixture/product does not contain any substances considered

to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. SUBSTANCES

Not applicable. This product is a mixture.

3.2. MIXTURES

Product/substance	Identifiers	% w/w	Classification	Note
Glycerine	CAS No.: 56-81-5	15-25%		
Carbon dioxide	CAS No.: 124-38-9	1-3%	Press. Gas (Comp.) H280	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

OTHER INFORMATION

None known.

SECTION 4: FIRST-AID MEASURES

4.1. DESCRIPTION OF FIRST AID MEASURES

General information: If breathing is irregular, drowsiness, loss of consciousness or

cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or

other drink.

Inhalation: Upon breathing difficulties or irritation of the respiratory tract:

Bring the person into fresh air and stay with him/her.

Skin contact: Upon irritation: rinse with water. In the event of continued irritation,

seek medical assistance.

Eye contact: Upon irritation of the eye: Remove contact lenses and open eyes

widely. Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Seek medical assistance and continue flushing during

transport.

Ingestion: Provide plenty of water for the person to drink and stay with

MV-740 Aerosol Page 2 of 12

him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on

vomited material.

Burns: Rinse with water until pain stops then continue to rinse for 30

minutes.

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

None known.

Information to medics: Bring this safety data sheet or the label from this product.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. EXTINGUISHING MEDIA

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. ADVICE FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURESStorages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

6.2. ENVIRONMENTAL PRECAUTIONS

Avoid discharge to lakes, streams, sewers, etc.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. REFERENCE TO OTHER SECTIONS

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

MV-740 Aerosol Page 3 of 12



7.1. PRECAUTIONS FOR SAFE HANDLING

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Pressurized gas packs (spray cans, aerosol cans) must be stored behind a wire mesh, which allows gases to escape and holds back packs flying around.

Recommended storage

Always store in containers of the same material as the original

material:

container.

Storage temperature:

No specific requirements

Incompatible materials:

Strong acids, strong bases, strong oxidizing agents, and strong

reducing agents.

7.3. **SPECIFIC END USE(S)**

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. **CONTROL PARAMETERS**

Glycerine

Long term exposure limit (OSHA Table Z-1) (mg/m³): 15 (total dust) / 5 (Respirable fraction) Long term exposure limit (NIOSH REL) (mg/m³): 10

Carbon dioxide

Short term exposure limit (STEL) (ACGIH TLV) (ppm): 30 Short term exposure limit (STEL) (NIOSH REL) (ppm): 30 Long term exposure limit (OSHA Table Z-1) (mg/m³): 9000 Long term exposure limit (OSHA Table Z-1) (ppm): 5000 Long term exposure limit (ACGIH TLV) (ppm): 5000

Part 1910 - Occupational Safety and Health Standards (29 CFR 1910.1000 TABLE Z-1 - Limits for Air Contaminants)

8.2. **EXPOSURE CONTROLS**

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed in the

work area.

Exposure scenarios:

There are no exposure scenarios implemented for this product.

Exposure limits:

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational

hygiene limit values above.

Appropriate technical

measures:

Adequate ventilation must be ensured for all gases. Where natural ventilation is not possible (cellar rooms), artificial ventilation must be installed. It is advantageous to store it in a lattice shed outdoors,

as ventilation is no longer necessary in this case.

Hygiene measures:

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always

wash hands, forearms and face.

Measures to avoid No specific requirements.

MV-740 Aerosol Page 4 of 12



environmental exposure:

8.3. INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

Generally: Use only protective equipment with a recognized certification mark,

e.g. the UL mark.

Respiratory Equipment:

Туре	Class	Colour	Standards	
In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.				

Skin protection:

No specific requirements.

Hand protection:

No specific requirements.

Eye protection:

Туре	Standards	
Safety glasses	EN166	
Face shield	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Aerosol
Colour: Black
Odour: Mild

Odour threshold (ppm): No data available

pH: 8.3

Density (g/cm³): No data available

Relative density: 1.047

Viscosity: No data available

PHASE CHANGES

Melting point (°F): No data available

MV-740 Aerosol Page 5 of 12

Boiling point (°F): No data available Vapour pressure: No data available Vapour density: No data available Decomposition temperature No data available

(°F):

Evaporation rate (n-

No data available

butylacetate = 100):

DATA ON FIRE AND EXPLOSION HAZARDS

Flash point (°F): Not applicable - product is an aerosol

Ignition (°F): No data available

Auto flammability (°F): Not applicable - product is an aerosol

Explosion limits (% v/v): No data available

SOLUBILITY

Solubility in water: No data available n-octanol/water coefficient: No data available

9.2. OTHER INFORMATION

Solubility in fat (g/L): No data available

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

No data available.

10.2. CHEMICAL STABILITY

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

None known.

10.4. CONDITIONS TO AVOID

None known.

10.5. INCOMPATIBLE MATERIALS

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY

Product/substance 2.2'.2"-nitrilotriethanol

Test method OECD 401

Species Rat, male/female

Route of exposure Oral
Test LD50
Result 6400 mg/kg

Other information

MV-740 Aerosol Page 6 of 12

2,2',2"-nitrilotriethanol Product/substance

Test method **OECD 402 Species** Rabbit Route of exposure Dermal Test LD50

Result >2000 mg/kg

Other information

SKIN CORROSION/IRRITATION

Based on available data, the classification criteria are not met.

SERIOUS EYE DAMAGE/IRRITATION

Based on available data, the classification criteria are not met.

RESPIRATORY SENSITISATION

Based on available data, the classification criteria are not met.

SKIN SENSITISATION

Based on available data, the classification criteria are not met.

GERM CELL MUTAGENICITY

Based on available data, the classification criteria are not met.

CARCINOGENICITY

Based on available data, the classification criteria are not met.

REPRODUCTIVE TOXICITY

Based on available data, the classification criteria are not met.

STOT-SINGLE EXPOSURE

Based on available data, the classification criteria are not met.

STOT-REPEATED EXPOSURE

Based on available data, the classification criteria are not met.

ASPIRATION HAZARD

Based on available data, the classification criteria are not met.

LONG TERM EFFECTS

None known.

OTHER INFORMATION

2,2'-iminodiethanol;diethanolamine has been classified by IARC as a group 2B carcinogen.

2,2',2"-nitrilotriethanol has been classified by IARC as a group 3 carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY

2,2',2"-nitrilotriethanol Product/substance

Test method DIN 38412

Species Fish, Leuciscus idus

Compartment

Duration 48 hours Test LC50 Result >10000 mg/L

Other information

Product/substance

Test method

Species

Daphnia, Ceriodaphnia dubia

2.2'.2"-nitrilotriethanol

Compartment

MV-740 Aerosol Page 7 of 12



Duration 48 hours
Test EC50
Result 609.88 mg/L

Other information

Product/substance 2,2',2"-nitrilotriethanol

Test method DIN 38412

Species Algae, Desmodesmus subspicatus

Compartment

Duration 72 hours
Test EC50
Result 512 mg/L

Other information

Product/substance 2,2',2"-nitrilotriethanol

Test method OECD 211

Species Daphnia, Daphnia magna

Compartment

Duration 21 days
Test NOEC
Result 16 mg/L

Other information

12.2. PERSISTENCE AND DEGRADABILITY

No data available.

12.3. BIOACCUMULATIVE POTENTIAL

No data available.

12.4. MOBILITY IN SOIL

No data available.

12.5. RESULTS OF PBT AND VPVB ASSESSMENT

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. OTHER ADVERSE EFFECTS

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA HAZARDOUS WASTE ("P" AND "U" LIST) (40 CFR 261)

None of the components are listed

SPECIFIC LABELLING

Not applicable.

CONTAMINATED PACKING

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
DOT	-	Consumables, Limited Quantity		-	No	See below for additional

MV-740 Aerosol Page 8 of 12



	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
						information.
IMDG	1950	Aerosols, Non- flammable, 2.2 (Limited Quantity)	Class: 2.2	-	No	Limited quantities: (Limited Quantity) See below for additional information.
IATA	1950	Aerosols, Non- flammable, 2.2	Class: 2.2	-	No	See below for additional information.

^{*} Packing group

ADDITIONAL INFORMATION

Not applicable.

14.6. SPECIAL PRECAUTIONS FOR USER

Not applicable.

14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL AND THE IBC CODE

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

15.2. U.S. FEDERAL REGULATIONS

TSCA: Glycerine is listed in the non-confidential portion

Carbon dioxide is listed in the non-confidential portion

2,2'-iminodiethanol;diethanolamine is listed in the non-confidential

portion

2,2',2"-nitrilotriethanol is listed in the non-confidential portion

Clean Air Act: 2,2'-iminodiethanol;diethanolamine is regulated as a hazardous air

pollutant (HAPS)

EPCRA Section 302: None of the components are listed EPCRA Section 304: None of the components are listed

EPCRA section 313: 2,2'-iminodiethanol;diethanolamine is listed

CERCLA: 2,2'-iminodiethanol;diethanolamine is regulated with a Reportable

Quantity (RQ) of: 100 pounds

STATE REGULATIONS

California / Prop. 65: WARNING: Cancer and Reproductive Harm -

www.P65Warnings.ca.gov.

Massachusetts / Right To

Know Act:

Glycerine is listed

Carbon dioxide is listed

2,2'-iminodiethanol; diethanolamine is listed

MV-740 Aerosol Page 9 of 12

^{**} Environmental hazards



New Jersey / Right To Know Glycerine / Substance number: 3319

Act:

Carbon dioxide / Substance number: 0343

2,2'-iminodiethanol;diethanolamine / Substance number: 0686 2,2'-iminodiethanol;diethanolamine is on the Special Health Hazard

Substance List

2,2',2"-nitrilotriethanol / Substance number: 4094

New York / Right To Know

Act:

Carbon dioxide is listed

Carbon dioxide is regulated with a Treshold Reporting Quantity

(TRQ) of: 500 pounds

2,2'-iminodiethanol;diethanolamine is listed

2.2'-iminodiethanol:diethanolamine is regulated with a Reportable

Quantity (RQ) of: 1 pounds

2,2'-iminodiethanol; diethanolamine is regulated with a Treshold

Reporting Quantity (TRQ) of: 100 pounds

Pennsylvania / Right To

Know Act:

Glycerine is listed

Carbon dioxide is listed

2,2'-iminodiethanol; diethanolamine is listed

2,2'-iminodiethanol; diethanolamine is hazardous to the

environment (E)

2,2',2"-nitrilotriethanol is listed

NFPA

Health hazard: 0 Fire hazard: 1 Instability hazard: 0

15.4. **RESTRICTIONS FOR APPLICATION**

Restricted to professional users.

15.5. **DEMANDS FOR SPECIFIC EDUCATION**

No specific requirements.

15.6. ADDITIONAL INFORMATION

Not applicable.

CHEMICAL SAFETY ASSESSMENT 15.7.

No

15.8. SOURCES

OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 16: OTHER INFORMATION

FULL TEXT OF H-PHRASES AS MENTIONED IN SECTION 3

H280, Contains gas under pressure; may explode if heated.

MV-740 Aerosol Page 10 of 12



THE FULL TEXT OF IDENTIFIED USES AS MENTIONED IN SECTION 1

None known.

ABBREVIATIONS AND ACRONYMS

ACGIH = American Conference of Governmental Industrial Hygienists

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CERCLA = Comprehensive Environmental Response Compensation and Liability Act

EINECS = European Inventory of Existing Commercial chemical Substances

EPCRA = Emergency Planning and Community Right-To-Know Act

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HCIS = Hazardous Chemical Information System

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified

by the Protocol of 1978. ("Marpol" = marine pollution)

NFPA = National Fire Protection Association

NIOSH = National Institute for Occupational Safety and Health

OECD = Organisation for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

PBT = Persistent, Bioaccumulative and Toxic

RCRA = Resource Conservation and Recovery Act

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SARA = Superfund Amendments and Reauthorization Act

SCL = A specific concentration limit.

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TSCA = The Toxic Substances Control Act

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

ADDITIONAL INFORMATION

The classification of the mixture in regard to physical hazards has been based on experimental data.

THE SAFETY DATA SHEET IS VALIDATED BY

Magnaflux

OTHER

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

MV-740 Aerosol Page 11 of 12



Information in this safety data sheet cannot be used as a product specification. Country-language: US-en

MV-740 Aerosol Page 12 of 12 www.almego.com